

**HIGH QUALITY GUNS REQUIRE
HIGH SECURITY PROTECTION**



GUN SAFES



Barrett Legacy of Quality

It's one thing to manufacture guns, and another to live and breathe them.

More than twenty-five years ago, Ronnie Barrett built something no one thought possible – a shoulder-fired .50 caliber rifle so innovative, the Army itself would sing its praises. From sketching his designs at the dining room table to working with a local tool and die maker to create parts that didn't yet exist, every millimeter of the Model 82 was a direct result of Ronnie's passion for the ultimate firearm.

That obsession still fuels our company today.

Whether we're carefully assembling our latest rifle, or building a high-security safe that protects your firearms from burglary and fire – we're always working with one goal in mind: absolute perfection.

Barrett gun safes are proudly made in the U.S.A.



Mercury Class III fire protection of 1275°F for 90 minutes. Designed to maintain an interior temperature of less than 350°F.



Barrett gun safes proudly display the UL Residential Security Container (RSC) Burglary Classification demonstrated the ability to withstand rigorous prying, drilling, punching, hammering, chiseling and tampering attacks performed by today's most experienced UL expert technicians.




Barrett gun safes meet or exceed the standards for California approved Firearms Safety devices and the requirements of California Penal Code Section 12088, Gun Safe Standards. Look for our DOJ Approved Label.



Barrett gun safes come with a Palusol Intumescent Door Seal. When the intumescent seal is exposed to high temperature (above 250°F), it expands to as much as 8 times its original thickness. This provides a strong positive seal between the door and body, preventing heat influx.



We Stand Behind Our Craftsmanship with a "No Cost" Lifetime Warranty




Optional 2nd Slide-Out with Cover Plate
BFB7250 Interior




BFB7250E with Black Nickel ESL10XL Electronic Lock



BFB7240E




BFB7240 Interior



What is DryLight Insulation?

DryLight (trademark pending) is an advanced poured concrete insulation material that eliminates the use of gypsum board and provides a dry and seamless barrier to protect valuables against intense fires and burglary attacks.



The Barrett Gun Safe Features:

Interior:

The Barrett gun safes are designed specifically to store unique large caliber rifles, assault rifles (AR) and tactical weapons. All Barrett safes come with a specially designed slide out tactical weapons storage rack for easy access to all your uniquely designed assault style weapons. The Barrett gun safe storage system can also store up to three of the Barrett premier 82A1® .50 BMG caliber rifles. This is the only storage system offered in a gun safe that can securely store the Barrett 82A1® and give you easy access to this premier weapon. When you own a large caliber rifle, assault rifle or tactical weapon don't settle for a standard gun safe, buy a Barrett that is specifically designed for your special weapons.


TDO Tactical Door Organizer:

The tactical, large caliber shooter has many valuable accessories to enhance their weapon. The Barrett gun safe comes standard with a tactical door organizer that provides specially designed compartments to store extra magazines, various optics, flashlights, ammo, and fast easy access to hand guns or rifles.


Barrett gun safes come with the world renowned Barrett logo, a smooth black finish tactical style door, a durable black textured body and black nickel plated hardware.



BFB6636C with Black Nickel Group 2 Combination Lock



BFB6636 Interior



BFB6030 Interior



BFB6030C

Additional Features:

½" steel plate door combined with 1" DryLight insulation.

2" total wall thickness on all sides featuring our poured DryLight insulation and two layers of steel for exceptional fire and security protection.

U.L. Residential Security Container (RSC) Burglary Classification.

11 massive 1½" chrome-plated bolts. Bolt detent system holds bolts in open position.

Mercury Class III fire protection of 1275°F for 90 minutes. Designed to maintain an interior temperature of less than 350°F.

Commercial grade, adjustable ball bearing hinges.

2 Stage Dual fire seals with silicone seal on door jamb and expandable Palusol™ seal on door.

Massive hard plate and two relocking devices.

Decorative five-spoke handle and a convenient pull handle in black nickel plated finish.

Unique mirrored back wall for added interior visibility.

4 pre-cut anchor holes and 1 pre-cut electrical access hole.

Optional Light Kits available.

Model	Outside Dimension H x W x D	Thickness (Inches)		Wt. Lbs.	Interior Capacity	Bolts
		Door Overall / Steel plate	Body			
BFB7250	71¼ x 50 x 28	4 ⁵ / ₈ " / ½"	2"	1,682	8-6-3-7-24 +2	11
BFB7240	71¼ x 40 x 26	4¾" / ½"	2"	1,490	8-3-8-17 +2	11
BFB6636	65¼ x 36 x 26	4¾" / ½"	2"	1,246	6-3-5-14 +2	11
BFB6030	59¼ x 30 x 26	4¾" / ½"	2"	976	6-3-4-13 +2	11

Lock Options



Black Nickel Group 2 combination Lock with SpyProof Keylocking Dial



Black Nickel Group 1 ESL10XL Electronic Lock



TO ORDER BARRETT GUN SAFES CONTACT:

American Security Products Co
11925 Pacific Ave., Fontana, CA 92337
1-951-685-9680
www.amsecusa.com